Author Index

Afeyan, N. B., Fulton, S. P. and Regnier, F. E.
Perfusion chromatography packing materials for proteins and peptides 544(1991)267

Albert, K. and Bayer, E.
Characterization of bonded phases by solid-state NMR spectroscopy (Review) 544(1991)345

Araki, T., see Tanaka, N. 544(1991)319

Bayer, E., see Albert, K. 544(1991)345

Beaver, L. G., see Danielson, N. D. 544(1991)187

Chrétien, J. R., see Righezza, M. 544(1991)393

Danielson, N. D., Beaver, L. G. and Wangsa, J.
Fluoropolymers and fluorocarbon bonded phases as column packings for liquid chromatography (Review) 544(1991)187

Desilets, C. P., Rounds, M. A. and Regnier, F. E.
Semipermeable-surface reversed-phase media for high-performance liquid chromatography 544(1991)25

Dolan, J. W., see Nugent, K. D. 544(1991)3

Engelhardt, H., Löw, H. and Götzinger, W.
Chromatographic characterization of silica-based reversed phases (Review) 544(1991)371

Engelhardt, H., see Schmitz, S. J. 544(1991)381

Fadeev, A. Y., see Staroverov, S. M. 544(1991)77

Feibush, B. and Santasania, C. T.
Hydrophilic shielding of hydrophobic, cation- and anion-exchange phases for separation of small analytes: direct injection of biological fluids onto high-performance liquid chromatographic columns (Review) 544(1991)41

Freiser, H. H. and Gooding, K. M.
Silica-based supports for high-performance liquid chromatography of biopolymers using non-denaturing conditions (Review) 544(1991)125

Fulton, S. P., see Afeyan, N. B. 544(1991)267

Ge, H., Teasdale, P. R. and Wallace, G. G.
Electrochemical chromatography —packings, hardware and mechanisms of interaction (Review) 544(1991)305

Gooding, K. M., see Freiser, H. H. 544(1991)125

Götzinger, W., see Engelhardt, H. 544(1991)371

Hansen, S. H., Helboe, P. and Thomsen, M.
Bare silica, dynamically modified with long-chain quaternary ammonium ions – the technique of choice for more reproducible selectivity in reversed-phase high-performance liquid chromatography (Review) 544(1991)53

Harada, K., see Sugii, A. 544(1991)219

Hashimoto, T.
Macroporous synthetic hydrophilic resin-based packings for the separation of biopolymers (Review) 544(1991)249

Hashimoto, T.
Non-porous hydrophilic resin-based packings for the separation of biopolymers (Review) 544(1989)257

Hashizume, K., see Tanaka, N. 544(1991)319

Helboe, P., see Hansen, S. H. 544(1991)53

Henry, M. P.
Design requirements of silica-based matrices for biopolymer chromatography 544(1991)413

Kawasaki, T.
Hydroxyapatite as a liquid chromatographic packing (Review) 544(1991)147

Kimata, K., see Tanaka, N. 544(1991)319

Langer, P., see Schnabel, R. 544(1991)137

Lloyd, L. L.
Rigid macroporous copolymers as stationary phases in high-performance liquid chromatography (Review) 544(1991)201

Löw, H., see Engelhardt, H. 544(1991)371

Lundahl, P. and Yang, Q.
Liposome chromatography: liposomes immobilized in gel beads as a stationary phase for aqueous column chromatography (Review) 544(1991)283

Nugent, K. D. and Dolan, J. W.
Systematic approach to the isolation, correction, and prevention of liquid chromatographic column problems 544(1991)3

Pinkerton, T. C.
High-performance liquid chromatography packing materials for the analysis of small molecules in biological matrices by direct injection (Review) 544(1991)13

Regnier, F. E., see Afeyan, N. B. 544(1991)267

Regnier, F. E., see Desilets, C. P. 544(1991)25

Regnier, F. E., see Yang, Y.-B. 544(1991)233

Righezza, M. and Chrétien, J. R.
Factor analysis and experiment design in high-performance liquid chromatography. X. Chemometric characterization of packings, solvents and solutes with hierarchical ascending classification and correspondence factor analysis 544(1991)393
Rounds, M. A., see Desilets, C. P. 544(1991)25
Santasania, C. T., see Feibush, B. 544(1991)41
Schmitz, S. J., Zwanziger, H. and Engelhardt, H.
Characterization of reversed phases by chemometric methods 544(1991)381
Schnabel, R. and Langer, P.
Controlled-pore glass as a stationary phase in chromatography (Review) 544(1991)137
Secreast, S. L.
Anion-exchange chromatography on selected silica-based reversed-phase high-performance liquid chromatographic columns 544(1991)99
Staroverov, S. M. and Fadeev, A. Y.
Apparent simplicity of reversed stationary phases for high-performance liquid chromatography (Review) 544(1991)77
Sugii, A. and Harada, K.
Evaluation of vinylpyridine and vinylpyridinium polymers as column packings for high-performance liquid chromatography (Review) 544(1991)219
Tanaka, N., Kimata, K., Araki, T., Tsuchiya, H. and Hashizume, K.
Microscopic characterization of high-performance liquid chromatographic packing materials (Review) 544(1991)319
Teasdale, P. R., see Ge, H. 544(1991)305
Thomsen, M., see Hansen, S. H. 544(1991)53
Tramposch, W. G. and Weber, S. G.
Polar bonded phase with the zwitterionic sulfobetaine functional group. Comparison to silica 544(1990)113
Tsuchiya, H., see Tanaka, N. 544(1991)319
Wallace, G. G., see Ge, H. 544(1991)305
Wangsa, J., see Danielson, N. D. 544(1991)187
Weber, S. G., see Tramposch, W. G. 544(1990)113
Yang, Q., see Lundahl, P. 544(1991)283
Yang, Y.-B. and Regnier, F. E.
Coated hydrophilic polystyrene-based packing materials 544(1991)233
Zwanziger, H., see Schmitz, S. J. 544(1991)381